



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911
(513) 285-6357
FAX (513) 285-6249

US EPA RECORDS CENTER REGION 5



436561

George V. Voinovich
Governor

July 14, 1998

RE: DAYTON ELECTROPLATE
CERCLIS # OHD00427628
INTEGRATED ASSESSMENT


Ms. Jeanne Griffin
Early Action Project Manager
U.S. EPA Region V
SE - 4J
77 West Jackson Boulevard
Chicago, IL 60604

Dear Ms. Griffin:

The Ohio EPA Division of Emergency and Remedial Response (DERR) has completed the Integrated Assessment for Dayton Electroplate, a site listed in the Ohio EPA/USEPA Cooperative Agreement for FFY 1997. The site has been scored according to Hazard Ranking System II and Region V USEPA guidelines. Enclosed is the Integrated Assessment Report, the IA Transmittal Memo, an abbreviated Prescore package and the complete Prescore file on floppy disk.

If you have any questions or need additional information, please contact Jon R. Watterworth at (937) 285-6061.

Sincerely,


Jon R. Watterworth
Division of Emergency and Remedial Response
Ohio EPA - Southwest District Office

JRW

Enclosures

cc: File Manager, DERR, CO
Laura Fay, DERR, CO

Read
7/17/98
JB

